






## Product Family Honeywell SP1000 2G

Contemporary style that can be worn with temples or headband. Provides protection against impact, sun, wind, and debris. Ideal for high-particulate environments such as grinding, chipping and sanding.

# Honeywell

### Product Numbers & Ordering Information

	Product Numbers	Details
	1028640	<b>Black Frame</b> Clear Lens, K&N Anti-fog / Anti-scratch Coating
	1028644	<b>Black Frame</b> HDL Yellow Lens, K&N Anti-fog / Anti-scratch Coating
	1028643	<b>Black Frame</b> Grey Lens, K&N Anti-fog / Anti-scratch Coating

### Overview

#### Key Features

Honeywell SP1000 2G...powerful eyewear for today's demanding work environments. The SP1000 2G provides protection against impact, sun, wind, dust and debris coupled with durable performance and minimized fogging thanks to our superior K&N coating technology! Its contemporary design offers a range of comfort and adjustability features for all-day wear in a popular black a sporty and stylish translucent frame with a touch of navy blue.. This high-performance model is a strong addition to your safety eyewear offering. Ideal for dirty, high-particulate work environments such as grinding, chipping, shaving and sanding.

- Available with an high performance Honeywell lens coating making the spectacle K & N on both sides of the lenses. Benefits are excellent anti-fog, anti-static and scratch-resistant properties. \*
- Soft and flexible nasal pads conform to a variety of facial profiles and minimize slippage.
- Soft, high-quality face cushioning and padded temple tips offer all-day comfort.
- Coming by default with a wide headband for superior comfort & stability of the spectacle on the head.

#### Recommended Industries/Use

- Construction
- Mining
- Oil and Gas
- Steel and Metals
- Transportation
- Wind Energy

**Hazards**

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

**Regulations**

- EN 166, 170, 172 : 2002 - EC Category PPE: Annex II of the PPE - Directive 89/686/EEC UV: 2C-X B-D 1 FT K N – 166 FT 3 CE Sunglare: 5-Y B-D 1 FT K N – 166 FT 3 CE for details see schedule for the different models

**Warranty Information**

LIMITED WARRANTY: Honeywell warrants that its products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Honeywell Safety Product distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell or the Honeywell Safety Product distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Honeywell product or component found to have been altered, misused, abused, tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elastomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Honeywell Safety Product should be used only on strict accordance with and adherence to the detailed instructions and warnings provided with the product.

## Specifications

**Range**

- Spectacle

**Lens Material**

- Polycarbonate

**Lens Coating**

- K&N lens coating Technology

**Rx Capable**

- No

**Temple Material**

- Polycarbonate

**Temple Style**

- Padded Temple Tips

**Frame Material**

- Polycarbonate

**Frame Colors**

- translucent frame with a touch of navy blue

## Literature & Documents

EC-type examination certificate Honeywell SP1000 2G

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Eye\\_and\\_Face\\_Protection/Goggles/4294997953/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Eye_and_Face_Protection/Goggles/4294997953/1033.aspx)

## Training & Proper Use

All products come packaged with instructions and warnings for proper use.

## Technical Support

France : [info-france.hsp@honeywell.com](mailto:info-france.hsp@honeywell.com)

Export : [info-export.hsp@honeywell.com](mailto:info-export.hsp@honeywell.com)

Belgium, Luxembourg, Netherlands : [info-benelux.hsp@honeywell.com](mailto:info-benelux.hsp@honeywell.com)

Germany, Austria, Switzerland : [info-germany.hsp@honeywell.com](mailto:info-germany.hsp@honeywell.com)

Italy : [info-italia.hsp@honeywell.com](mailto:info-italia.hsp@honeywell.com)

United Kingdom, Middle East & Southern Africa Branch : [info-uk.hsp@honeywell.com](mailto:info-uk.hsp@honeywell.com)

Spain, Portugal : [info-spain.hsp@honeywell.com](mailto:info-spain.hsp@honeywell.com)

Sweden, Denmark, Finland, Iceland, Norway : [info-nordic.hsp@honeywell.com](mailto:info-nordic.hsp@honeywell.com)

Estonia, Latvia, Lithuania : [info-nordic.hsp@honeywell.com](mailto:info-nordic.hsp@honeywell.com)

Russia : [info-russia.hsp@honeywell.com](mailto:info-russia.hsp@honeywell.com)

Hungary : [info-hungary.hsp@honeywell.com](mailto:info-hungary.hsp@honeywell.com)

Poland : [info-poland.hsp@honeywell.com](mailto:info-poland.hsp@honeywell.com)

© Honeywell International Inc.